0				
_	31	("3705384" "4312035" "4567359" "4624578" "4700296" "4703412" "4808841" "4831242" "4902881" "4947028" "5066853" "5113351" "5157273" "5162989" "5163124" "5164609" "5198806" "5206488" "5278771" "5347167" "5359540" "5369740" "5393964" "5396417" "5412189" "5451755" "5491326" "5499707" "5506790" "5615105" "5652892").PN.	USPAT	2004/04/29 14:26
-	199		USPAT	2004/04/29 15:12
-	17	(scanner\$1 same copiers) same (user near2 interface)	USPAT; US-PGPUB; EPO	2004/04/29 15:14
-	5	("5022085" "5140647" "5185808" "5473737" "5611033").PN.	USPAT	2004/04/29 15:15
-	28	5732230.URPN.	USPAT	2004/04/29 15:15
-	7.	("53533399" "5467434" "5726883" "5978559" "6101498" "6130757" "6134017").PN.	USPAT	2004/04/29
-	0		USPAT	2004/04/29 15:37
-	2108	<pre>(network near3 printer\$1) with (select\$4 setup control)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 00:16
-	106	<pre>((network near3 printer\$1) with (select\$4 setup control)) same (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:42
-	4510	<pre>((printer\$1 fax copy copies scan\$4) with (select\$4 setup control)) same (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:44
-	2793	((printer\$1 fax copy copies scan\$4) near5 (select\$4 setup control)) same (user near2 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:44
-	1423	<pre>((printer\$1 fax copy copies scan\$4) near5 (select\$4 setup control)) with (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:50
-	718	<pre>((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:50
-	0	printer\$1) with (select\$4 setup control)) same (user near2 interface))) and 5873659.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:53
-	1963458	propert\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 08:54
-	43	<pre>(((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)) and (propert\$3 near5 select\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 08:59

Search History 11/3/04 6:10:05 PM Page 7

	67186	propert\$3 near5 select\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 10:29
_	31	((((printer\$1) near5 (select\$4 setup	IBM_TDB USPAT;	2004/11/01
		<pre>control)) with (user near2 interface)) and (propert\$3 near5 select\$5)) not ((((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)) same (propert\$3 near5 select\$5))</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	10:29
_	12	<pre>(((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)) same (propert\$3 near5 select\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01
_	184	<pre>((printer\$1) near5 (select\$4 setup control)) same (propert\$3 near5 select\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 10:43
_	161	<pre>(((printer\$1) near5 (select\$4 setup control)) same (propert\$3 near5 select\$5)) not ((((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)) and (propert\$3 near5 select\$5)) not ((((printer\$1) near5 (select\$4 setup control)) with (user near2 interface)) same (propert\$3 near5 select\$5)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:30
_	184	control)) same (propert\$3 near5 select\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:44
-	181	<pre>((printer\$1) near5 (select\$4 setup)) same (propert\$3 near5 select\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 10:45
_	168	<pre>((printer\$1) near4 (select\$4 setup)) same (propert\$3 near5 select\$5)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 10:45
_	4389	((printer\$1) near4 (select\$4 setup)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 10:46
	24	<pre>(((printer\$1) near4 (select\$4 setup)).ab.) with (propert\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01
-	7	("5353399" "5467434" "5726883" "5978559" "6101498" "6130757" "6134017").PN.	USPĀT	2004/11/01 10:50
-	0	6642943.URPN.	USPAT	2004/11/01 10:52
-	22	(printer\$1 near4 icon\$1) with (propert\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01
_	22	plurality near4 printer\$1 near4 propert\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/01 11:02

a				
-	115	<pre>(plurality near4 printer\$1) same (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 11:09
_	112	((plurality near4 printer\$1) same (user near2 interface)) not (plurality near4 printer\$1 near4 propert\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 11:03
-	7	("5371837" "5579446" "5680521" "5694618" "5748980" "5958022" "6014714").PN.	IBM_TDB USPAT	2004/11/01 11:07
-	0	6762771.URPN.	USPAT	2004/11/01
-	0	6762771.URPN.	USPAT	2004/11/01
_	11243	plurality near4 printer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01
_	3121	(plurality near4 printer\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:10
_	2535	(plurality near3 printer\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:13
-	22	((plurality near3 printer\$1).ab.) same (user near2 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 11:10
-	1733	(plurality near3 printer\$1) with (setup control select\$4)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:14
_	832	<pre>(plurality near3 printer\$1) near5 (setup control select\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 11:18
_	41	((plurality near3 printer\$1) near5 (setup control select\$4)) and 345/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:14
_	1733	<pre>(plurality near3 printer\$1) with (setup control select\$4)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/11/01 11:18
_	127236	user near2 interface	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:18
-	36	<pre>((plurality near3 printer\$1) with (setup control select\$4)) with (user near2 interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/11/01 11:18

-,		· ·		
_	32	(((plurality near3 printer\$1) with (setup	USPAT;	2004/11/01
		control select\$4)) with (user near2	US-PGPUB;	11:22
		interface)) not (((plurality near3	EPO; JPO;	
		printer\$1) near5 (setup control	DERWENT;	
		select\$4)) and 345/\$.ccls.)	IBM TDB	
-	24	(setup near4 printer\$1) with (user near2	USPAT;	2004/11/01
		interface)	US-PGPUB;	11:25
			EPO; JPO;	
			DERWENT;	
			IBM TDB	, ,
_	1	(setup near4 printer\$1) with (propert\$3	USPAT;	2004/11/01
	_	near5 select\$5)	US-PGPUB;	11:27
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	(setup near4 printer\$1) with (window\$1	USPAT;	2004/11/01
	"	near2 NT)	US-PGPUB;	11:29
		ileatz Nij	EPO; JPO;	11.29
			DERWENT;	
	207	(IBM_TDB	2004/11/01
-	207	(printer\$1) with (window\$1 near2 NT)	USPAT;	2004/11/01
			US-PGPUB;	11:38
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	15412	(printer\$1 near4 (select\$4 or setup))	USPAT;	2004/11/01
			US-PGPUB;	11:39
			EPO; JPO;	
			DERWENT;	
ŀ		•	IBM TDB	
-	4389	(printer\$1 near4 (select\$4 or setup)).ab.	USPAT;	2004/11/01
			US-PGPUB;	11:39
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	217	((printer\$1 near4 (select\$4 or	USPAT;	2004/11/01
	21,	setup)).ab.) and (user near2 interface)	US-PGPUB;	11:40
1	ļ	Secupy, and (user hearz interface)	EPO; JPO;	11.30
			DERWENT;	
1			IBM TDB	
_	217	(((printer\$1 near4 (select\$4 or	USPAT;	2004/11/01
	21/		US-PGPUB;	1
		setup)).ab.) and (user near2 interface))		11:40
		not ((printer\$1) with (window\$1 near2 NT)	EPO; JPO;	
)	DERWENT;	
	010	///mminton01 massA /==3-==AA	IBM_TDB	2004/11/01
	212	1 1 1 2	USPAT;	2004/11/01
		setup)).ab.) and (user near2 interface))	US-PGPUB;	11:40
		not (((plurality near3 printer\$1) with	EPO; JPO;	
		(setup control select\$4)) with (user	DERWENT;	
		near2 interface))	IBM_TDB	
-	40	chronological near5 printer	USPAT;	2004/11/01
		-	US-PGPUB;	14:54
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	23	chronological near3 printer	USPAT;	2004/11/01
		<u>-</u>	US-PGPUB;	14:58
		<u> </u>	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	chronological near3 printer\$1 near5	USPAT;	2004/11/01
		sequen\$3	US-PGPUB;	15:06
		5544545	EPO; JPO;	
			DERWENT;	
_	202	/abranalagigal on andam manuf /aal	IBM_TDB	2004/11/01
-	293	(chronological or order) near5 (select\$4	USPAT;	2004/11/01
		near4 printer\$1)	US-PGPUB;	15:07
			EPO; JPO;]
			DERWENT;	
	L		IBM_TDB	

1				
_	249	(chronological or order) near4 (select\$4	USPAT;	2004/11/01
		near4 printer\$1)	US-PGPUB;	15:07
			EPO; JPO;	
	ĺ		DERWENT;	
			IBM TDB	
_	0	(chronological) near4 (select\$4 near4	USPAT;	2004/11/01
		printer\$1)	US-PGPUB;	15:07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	249	(order) near4 (select\$4 near4 printer\$1)	USPAT;	2004/11/01
1			US-PGPUB;	15:08
Ì		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	130	(order) near4 (select\$4 adj3 printer\$1)	USPAT;	2004/11/01
		,	US-PGPUB;	15:08
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	24	(order) near4 (select\$4 adj3	USPĀT;	2004/11/01
		printer\$1).ab.	US-PGPUB;	15:17
			EPO; JPO;	
		r	DERWENT;	
			IBM TDB	
-	106	((order) near4 (select\$4 adj3 printer\$1))	USPAT;	2004/11/01
		not ((order) near4 (select\$4 adj3	US-PGPUB;	15:17
		printer\$1).ab.)	EPO; JPO;	
			DERWENT;	
			IBM TDB	